



**New York State Office of Parks,  
Recreation and Historic Preservation**

Albany, New York 12238

www.nysparks.com

May 21, 2014

Douglas McKenna, Chief  
Water Compliance Branch  
U.S. EPA Region II  
290 Broadway  
New York, NY 10007  
ATTENTION: Nicole Foley Kraft  
kraft.nicole@epa.gov

Re: Inventories of Injection Wells for the Allegany, Genesee, and New York City Regions  
Docket No. SDWA-UIC-IR-14-001

Dear Mr. McKenna,

Your letter dated November 28, 2013, from EPA Region II requested that the New York State Office of Parks, Recreation & Historic Preservation (OPRHP) submit a complete inventory of Underground Injection Control (UIC) wells in facilities operated by OPRHP. Your subsequent correspondence requested that NYS Parks submit the remaining inventories as they become available. OPRHP has submitted the Finger Lakes and Saratoga Regions' inventories, as well as those for five parks on Long Island in Suffolk County. OPRHP's remaining regional offices are making substantial progress in gathering the information.

Attached you will find information for OPRHP's Allegany, Genesee, and New York City regions. In these three regions, only two facilities contain UIC Class V wells—Letchworth State Park in Genesee, and Clay Pit Ponds State Park Preserve in New York City. Attached you will find inventories for these two facilities and lists of the facilities that do not contain Class V wells.

We will continue to send information as it becomes available. Thank you.

Very truly yours,

Andy Beers  
Executive Deputy Commissioner

Enclosures

**Andrew M. Cuomo**  
Governor

**Rose Harvey**  
Commissioner

150 N. Main St. Albany, NY 12242  
2014 MAY 29 PM 5:18  
3.1 14-001-001



**New York State Office of Parks,  
Recreation and Historic Preservation**

Western District - Genesee Region, One Letchworth State Park, Castile, New York 14427

585-493-3600

FAX: 585-493-5272

[www.nysparks.com](http://www.nysparks.com)

**Andrew Cuomo**  
Governor

**Rose Harvey**  
Commissioner

**Peter G. Humphrey**  
Commission Chairman

May 5, 2014

Darci Frinquelli  
Counsel's Office  
NYS OPRHP  
625 Broadway  
Albany, NY 12238

Re: US EPA Injection Well Program  
Compliance Verification  
Various Locations, Allegany Region

The following locations do not have any public facilities which would generate sewage waste meeting the regulations for the Underground Injection Control Program for subsurface disposal:

Allegany State Park, Salamanca, New York, Cattaraugus County.  
Barcelona Light House State Historic Site, Barcelona, New York, Chautauqua County  
Lake Erie State Park, Portland, New York, Chautauqua County.  
Long Point on Chautauqua Lake State Park, Bemus Point, New York, Chautauqua County.  
Midway State Park, Ellery, New York, Chautauqua County.

Sincerely,

David L. Herring, PE  
Capital Facilities Regional Manager  
Allegany & Genesee Regions

CC: Andy Beers  
M. Brad Whitcomb



**New York State Office of Parks,  
Recreation and Historic Preservation**

New York City Region • 163 West 125<sup>th</sup> Street, 17<sup>th</sup> Floor, New York, NY 10027  
Telephone: 212-866-3100  
Fax: 212-866-3186  
www.nysparks.com

Andrew M. Cuomo  
Governor

Rose Harvey  
Commissioner

Ms. Darci Frinquelli, Esq.  
Counsel's Office  
NYSOPRHP  
625 Broadway  
Albany, N.Y. 12207

May 15, 2014

Re; New York City Region Septic Systems

Dear Ms. Frinquelli;

As requested listed below are the State Parks in the New York City Region and the type of system for handling sanitary discharges for each:

Bayswater Point SP – Queens – No toilet facilities – rent "Port a Pottys" for events.

Clay Pit Ponds State Park Preserve – Staten Island

4 residential (one family detached) buildings have cesspools.

Police Base (99 Nielson Ave) cesspool. One user per day.

Administrative Office (83 Nielson Ave) cesspool. Three users per day.

Gericke Farmstead (2876 Arthur Kill Road) Connected to NYC sanitary sewer.

Interpretive Center (2351 Veteran's Road West) Septic Tank with Sewer Pit –

Designed to NYC Standards. Will retrofit to NYC system when sanitary sewers are in place.

Flow designed for maximum 1,000 gal/day. Type Code 5W31.

East River SP – Brooklyn – Connected to NYC sanitary sewer system.

Four Freedoms SP – Roosevelt Island (Manhattan) – No bathroom facilities.


Gantry Plaza SP – Queens – Connected to NYC sanitary sewer system.

Riverbank SP – Manhattan – Connected to NYC sanitary sewer system.


Roberto Clemente SP – the Bronx – Connected to NYC sanitary sewer system.

Please let me know if you need any additional information.

Sincerely,

  
John A. Bagley, P.E.  
Associate Park Engineer

CC: E. Gonzalez-Laders

 <b>INVENTORY OF INJECTION WELLS</b> UNITED STATES ENVIRONMENTAL PROTECTION AGENCY OFFICE OF GROUND WATER AND DRINKING WATER <small>(This information is collected under the authority of the Safe Drinking Water Act)</small>			<b>1. DATE PREPARED</b> (Year, Month, Day) <div style="border: 1px solid black; padding: 5px; text-align: center;">2014/05/15</div>		<b>2. FACILITY ID NUMBER</b> <div style="border: 1px solid black; height: 30px; width: 100%;"></div>																	
<b>PAPERWORK REDUCTION ACT NOTICE</b> <small>The public reporting burden for this collection of information is estimated at about 0.5 hour per response including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, Director, Collection Strategies Division (2822), U.S. Environmental Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, DC 20460, and to the Office of Management and Budget, Paperwork Reduction Project, Washington, DC20503.</small>			<b>3. TRANSACTION TYPE</b> (Please mark one of the following) <div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> Deletion  <input type="checkbox"/> Entry Change         </div> <div> <input checked="" type="checkbox"/> First Time Entry  <input type="checkbox"/> Replacement         </div> </div>																			
<b>4. FACILITY NAME AND LOCATION</b>																						
<b>A. NAME</b> (last, first, and middle initial) <div style="border: 1px solid black; padding: 2px;">CLAY PIT PONDS STATE PARK PRESERVE</div>		<b>C. LATITUDE</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">DEG</td> <td style="text-align: center;">MIN</td> <td style="text-align: center;">SEC</td> </tr> <tr> <td style="text-align: center;">40</td> <td style="text-align: center;">32</td> <td style="text-align: center;">15.657</td> </tr> </table>		DEG	MIN	SEC	40	32	15.657	<b>E. TOWNSHIP/RANGE</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">TOWNSHIP</td> <td style="text-align: center;">RANGE</td> <td style="text-align: center;">SECT</td> <td style="text-align: center;">1/4 SECT</td> </tr> <tr> <td style="height: 20px;"></td> <td></td> <td></td> <td></td> </tr> </table>		TOWNSHIP	RANGE	SECT	1/4 SECT							
DEG	MIN	SEC																				
40	32	15.657																				
TOWNSHIP	RANGE	SECT	1/4 SECT																			
<b>B. STREET ADDRESS/ROUTE NUMBER</b> <div style="border: 1px solid black; padding: 2px;">83 NIELSON AVE</div>		<b>D. LONGITUDE</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">DEG</td> <td style="text-align: center;">MIN</td> <td style="text-align: center;">SEC</td> </tr> <tr> <td style="text-align: center;">-74</td> <td style="text-align: center;">13</td> <td style="text-align: center;">31.2672</td> </tr> </table>		DEG	MIN	SEC	-74	13	31.2672	<b>J. INDIAN LAND</b> (mark "x") <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No												
DEG	MIN	SEC																				
-74	13	31.2672																				
<b>F. CITY/TOWN</b> <div style="border: 1px solid black; padding: 2px;">STATEN ISLAND</div>		<b>G. STATE</b> <div style="border: 1px solid black; padding: 2px;">NY</div>		<b>H. ZIP CODE</b> <div style="border: 1px solid black; padding: 2px;">10309</div>																		
<b>5. LEGAL CONTACT:</b>																						
<b>A. TYPE</b> (mark "x") <input checked="" type="checkbox"/> Owner <input type="checkbox"/> Operator		<b>B. NAME</b> (last, first, and middle initial) <div style="border: 1px solid black; padding: 2px;">BRITO DAVID</div>		<b>C. PHONE</b> (area code and number) <div style="border: 1px solid black; height: 20px; width: 100%;"></div>																		
<b>D. ORGANIZATION</b> <div style="border: 1px solid black; padding: 2px;">NYS OPRHP</div>		<b>E. STREET/P.O. BOX</b> <div style="border: 1px solid black; padding: 2px;">163 W. 125TH STREET</div>		<b>I. OWNERSHIP</b> (mark "x") <input type="checkbox"/> PRIVATE <input type="checkbox"/> PUBLIC <input type="checkbox"/> SPECIFY OTHER <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEDERAL																		
<b>F. CITY/TOWN</b> <div style="border: 1px solid black; padding: 2px;">NEW YORK</div>		<b>G. STATE</b> <div style="border: 1px solid black; padding: 2px;">NY</div>		<b>H. ZIP CODE</b> <div style="border: 1px solid black; padding: 2px;">10027</div>																		
<b>6. WELL INFORMATION:</b>																						
<b>A. CLASS AND TYPE</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">SD</td> </tr> </table>	SD	<b>B. NUMBER OF WELLS</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">COMM</td> <td style="text-align: center;">NON-COMM</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">0</td> </tr> </table>	COMM	NON-COMM	1	0	<b>C. TOTAL NUMBER OF WELLS</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">0</td> <td style="text-align: center;">1</td> </tr> </table>	0	1	<b>D. WELL OPERATION STATUS</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">UC</td> <td style="text-align: center;">AC</td> <td style="text-align: center;">TA</td> <td style="text-align: center;">PA</td> <td style="text-align: center;">AN</td> </tr> <tr> <td style="text-align: center;">0</td> <td style="text-align: center;">X</td> <td style="text-align: center;">0</td> <td style="text-align: center;">0</td> <td style="text-align: center;">0</td> </tr> </table>		UC	AC	TA	PA	AN	0	X	0	0	0	<b>COMMENTS (Optional):</b> <div style="border: 1px solid black; padding: 5px;">           INTERPRETIVE CENTER DISCHARGE - NO GROUND WATER IS USED FOR DRINKING PURPOSES IN NEW YORK CITY.         </div>
SD																						
COMM	NON-COMM																					
1	0																					
0	1																					
UC	AC	TA	PA	AN																		
0	X	0	0	0																		
<b>KEY:</b> <div style="display: flex; justify-content: space-between;"> <div>           DEG = Degree            MIN = Minute            SEC = Second             SECT = Section            1/4 SECT = Quarter Section         </div> <div>           COMM = Commercial            NON-COMM = Non-Commercial             AC = Active            UC = Under Construction            TA = Temporarily Abandoned            PA = Permanently Abandoned and Approved by State            AN = Permanently Abandoned and not Approved by State         </div> </div>																						

Inventory of Injection Wells  
Additional Facility Information  
Clay Pit Ponds State Park Preserve

---

Description of Facility: State Park Preserve. Uses include various public recreation activities (picnicking, hiking, etc).

Use of Injection Wells: Interpretive Center discharge

Type of Waste: Sanitary sewage





**New York State Office of Parks,  
Recreation and Historic Preservation**

Western District - Genesee Region, One Letchworth State Park, Castile, New York 14427

585-493-3600

FAX: 585-493-5272

[www.nysparks.com](http://www.nysparks.com)

**Andrew Cuomo**  
Governor

**Rose Harvey**  
Commissioner

**Peter G. Humphrey**  
Commission Chairman

May 5, 2014


Darci Frinquelli  
Counsel's Office  
NYS OPRHP  
625 Broadway  
Albany, NY 12238

Re: US EPA Injection Well Program  
Compliance Verification  
Various Locations, Genesee Region

The following locations do not have any public facilities which would generate sewage waste meeting the regulations for the Underground Injection Control Program for subsurface disposal:

- Conesus Lake Marine Park, Lakeville, New York, Livingston County.
- Darien Lakes State Park, Darien Center, New York, Genesee County.
- Hamlin Beach State Park, Hamlin, New York, Monroe County.
- Irondequoit Bay Marine Park, Irondequoit, New York, Monroe County.
- Lakeside Beach State Park, Waterport, New York, Orleans County.
- Oak Orchard East Marine Park, Waterport, New York, Orleans County.
- Oak Orchard West Marine Park, Waterport, New York, Orleans County.
- Silver Lake State Park, Silver Springs, New York, Wyoming County.

Sincerely,

  
David L. Herring, PE  
Capital Facilities Regional Manager  
Allegany & Genesee Regions

CC: Andy Beers  
Rich Parker

<b>INVENTORY OF INJECTION WELLS</b> <b>UNITED STATES ENVIRONMENTAL PROTECTION AGENCY</b> <b>OFFICE OF GROUND WATER AND DRINKING WATER</b> <small>(This information is collected under the authority of the Safe Drinking Water Act)</small>					<b>1. DATE PREPARED</b> <i>(Year, Month, Day)</i> <div style="border: 1px solid black; padding: 2px; width: 100px;">13-12-11</div>		<b>2. FACILITY ID NUMBER</b> <div style="border: 1px solid black; height: 30px; width: 100%;"></div>																		
<b>PAPERWORK REDUCTION ACT NOTICE</b> <small>The public reporting burden for this collection of information is estimated at about 0.5 hour per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Chief, Information Policy Branch, 2136, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460, and to the Office of Management and Budget, Paperwork Reduction Project, Washington, DC 20503.</small>					<b>3. TRANSACTION TYPE</b> <i>(Please mark one of the following)</i> <div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> Deletion   <input type="checkbox"/> Entry Change         </div> <div> <input checked="" type="checkbox"/> First Time Entry   <input type="checkbox"/> Replacement         </div> </div>																				
<b>4. FACILITY NAME AND LOCATION</b>																									
<b>A. NAME</b> <i>(last, first, and middle initial)</i> <div style="border: 1px solid black; padding: 2px;">Letchworth State Park</div>			<b>C. LATITUDE</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">DEG</td> <td style="width: 20%;">MIN</td> <td style="width: 20%;">SEC</td> </tr> <tr> <td style="text-align: center;">42</td> <td style="text-align: center;">35</td> <td style="text-align: center;">18.4</td> </tr> </table>		DEG	MIN	SEC	42	35	18.4	<b>E. TOWNSHIP/RANGE</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">TOWNSHIP</td> <td style="width: 25%;">RANGE</td> <td style="width: 25%;">SECT</td> <td style="width: 25%;">1/4 SECT</td> </tr> <tr> <td style="height: 20px;"></td> <td></td> <td></td> <td></td> </tr> </table>			TOWNSHIP	RANGE	SECT	1/4 SECT								
DEG	MIN	SEC																							
42	35	18.4																							
TOWNSHIP	RANGE	SECT	1/4 SECT																						
<b>B. STREET ADDRESS/ROUTE NUMBER</b> <div style="border: 1px solid black; padding: 2px;">One Letchworth State Park</div>			<b>D. LONGITUDE</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">DEG</td> <td style="width: 20%;">MIN</td> <td style="width: 20%;">SEC</td> </tr> <tr> <td style="text-align: center;">-78</td> <td style="text-align: center;">02</td> <td style="text-align: center;">16.75</td> </tr> </table>		DEG	MIN	SEC	-78	02	16.75															
DEG	MIN	SEC																							
-78	02	16.75																							
<b>F. CITY/TOWN</b> <div style="border: 1px solid black; padding: 2px;">Castile</div>		<b>G. STATE</b> <div style="border: 1px solid black; padding: 2px;">NY</div>	<b>H. ZIP CODE</b> <div style="border: 1px solid black; padding: 2px;">14427</div>		<b>I. NUMERIC COUNTY CODE</b> <div style="border: 1px solid black; padding: 2px;">121</div>		<b>J. INDIAN LAND</b> <small>(mark "x")</small> <div style="display: flex; align-items: center;"> <input type="checkbox"/> Yes         <input checked="" type="checkbox"/> No       </div>																		
<b>5. LEGAL CONTACT:</b>																									
<b>A. TYPE</b> <i>(mark "x")</i> <div style="display: flex; align-items: center;"> <input type="checkbox"/> Owner         <input checked="" type="checkbox"/> Operator       </div>		<b>B. NAME</b> <i>(last, first, and middle initial)</i> <div style="border: 1px solid black; padding: 2px;">Herring, David, L.</div>			<b>C. PHONE</b> <small>(area code and number)</small> <div style="border: 1px solid black; padding: 2px;">(585) 493-3602</div>																				
<b>D. ORGANIZATION</b> <div style="border: 1px solid black; padding: 2px;">NYS OPRHP - Genesee Region</div>		<b>E. STREET/P.O. BOX</b> <div style="border: 1px solid black; padding: 2px;">One Letchworth State Park</div>			<b>I. OWNERSHIP</b> <i>(mark "x")</i> <div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> PRIVATE   <input checked="" type="checkbox"/> STATE         </div> <div> <input type="checkbox"/> PUBLIC   <input type="checkbox"/> FEDERAL         </div> <div> <input type="checkbox"/> SPECIFY OTHER  <div style="border: 1px solid black; height: 20px; width: 100%;"></div> </div> </div>																				
<b>F. CITY/TOWN</b> <div style="border: 1px solid black; padding: 2px;">Castile</div>		<b>G. STATE</b> <div style="border: 1px solid black; padding: 2px;">NY</div>	<b>H. ZIP CODE</b> <div style="border: 1px solid black; padding: 2px;">14427</div>																						
<b>6. WELL INFORMATION:</b>																									
<b>A. CLASS AND TYPE</b>		<b>B. NUMBER OF WELLS</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>COMM</th> <th>NON-COMM</th> </tr> <tr> <td style="text-align: center;">7</td> <td style="text-align: center;">0</td> </tr> </table>		COMM	NON-COMM	7	0	<b>C. TOTAL NUMBER OF WELLS</b> <div style="border: 1px solid black; padding: 2px; text-align: center;">7</div>	<b>D. WELL OPERATION STATUS</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>UC</th> <th>AC</th> <th>TA</th> <th>PA</th> <th>AN</th> </tr> <tr> <td style="text-align: center;">7</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>					UC	AC	TA	PA	AN	7					<b>COMMENTS</b> <i>(Optional):</i> <div style="border: 1px solid black; padding: 5px;">           EPA Facility:            SPDES #: NY0083615            DEC ID: 9-5634-00002         </div>	
				COMM	NON-COMM																				
7	0																								
UC	AC	TA	PA	AN																					
7																									
<b>V</b> <b>F</b>																									

## KEY:

 DEG = Degree  
 MIN = Minute  
 SEC = Second

 SECT = Section  
 1/4 SECT = Quarter Section

 COMM = Commercial  
 NON-COMM = Non-Commercial

 AC = Active  
 UC = Under Construction  
 TA = Temporarily Abandoned  
 PA = Permanently Abandoned and Approved by State  
 AN = Permanently Abandoned and not Approved by State



## New York State Office of Parks, Recreation and Historic Preservation

Western District - Genesee Region, One Letchworth State Park, Castile, New York 14427

585-493-3600

FAX: 585-493-5272

www.nysparks.com

David A. Paterson  
Governor

Carol Ash  
Commissioner

Peter G. Humphrey  
Commission Chairman

### MEMORANDUM

TO: Albany Capital Unit

FROM: Paula L. Smith PE

DATE: February 19, 2014

SUBJECT: Additional Information EPA Form 7520-16  
INVENTORY OF INJECTION WELLS - Section 6  
Letchworth State Park

PROVIDE: (1) a brief description characterizing your facility and the types of activities conducted; (2) a brief description of what you use each of your injection well(s) for; (3) a brief description of the types of fluids that enter, or have the potential to enter, each of your injection well(s). (Note: wells with the same information may be grouped).

SPDES	LOCATION	BUILDING #	DISPOSAL SYSTEM TYPE	SIZE (GPD)
013	VISITOR CENTER/ADMIN BUILDING	0044	CST/Pump Tank /Leach Bed	3100
021	CABIN A: SHOWER & LAUNDRY	0137	Conc Septic Tank /Leach Field	1500
023	CABIN AREA B: SHOWER & LAUNDRY	0160	Conc Septic Tank Leach Field	1500
027	CABIN AREA D (new) TOILET/SHOWERS	0255	CST/Elgin Filter Trenches	5000
054	TRAILSIDE LODGE	0036	Concrete Septic Tank/Leach Pit	1450
061	SOUTH MAINT. EAST -flr drains +2sinks	0020	CST/DRY WELL	20
062	SOUTH MAINT. East - Sanitary	0021	Leach Pit	50

#### NYS SPDES Outfall #013 Administration Building and Visitor Center:

The majority of the (15,000 square feet) building is office space used by approximately 40 NYS Park employees. A reception area welcomes Park patrons and includes public restrooms. Approximately 100 visitors per day enter the building during the peak season (June through September). The building wastewater from 5 restrooms goes to sewage disposal is subsurface absorption beds with no outfall (Sand filter treatment system with a sub-surface tertiary polishing filter bed.

#### NYS SPDES Outfall #021 and #023 Cabin Area A and B Shower and Laundry:

This building serves cabin areas A (22 Cabins) and B (22 Cabins) with a peak use of 1500 GPD during the period (Mid-May through Mid-October). The wastewater from lavatories,



showers and laundry goes to a concrete septic tank and into a subsurface absorption beds with no outfall.

NYS SPDES Outfall #027 Cabin Area D Shower and Laundry:

This building serves D cabin area (10 Cabins) and E cabin area (10 Cabins) with a peak use of 3000 GPD (June through September). The buildings wastewater from lavatories, showers and laundry goes to a concrete septic tank and into an Eljen Geotextile Sand Filter (GSF®) trenches with no outfall.

NYS SPDES Outfall #054 Trailside Lodge Public Restrooms:

This building provides lavatory facilities for Park Patrons with a peak use of 1450 GPD (June through Mid-October). The building wastewater from lavatories goes to a concrete septic tank and into a subsurface absorption bed with no outfall.

NYS SPDES Outfall #061 South Maintenance Building East- Floor Drains:

This building houses a vehicle repair garage where floor drains and a sink are connected to a dry well. Peak use 20 GPD. An oil/grit separator is being installed in June 2014.

NYS SPDES Outfall #062 South Maintenance Building East – Sanitary Facilities:

The vehicle repair garage houses a restroom with toilet and sink for up to 60 seasonal employees and 15 year round mechanics. The restroom drains to a 500 gallon septic tank and leach pit. Peak use (June through Mid-October) 150 GPD.

Please contact me at (585) 493-3649 or, [paula.smith@parks.ny.gov](mailto:paula.smith@parks.ny.gov) if you have any questions.

Sincerely,

Paula L. Smith. P.E.  
Senior Park Engineer  
Genesee State Park Region

Encl.

cc: David Herring, PE  
File